

## Water Management

Emmet County, Iowa

Map symbol and soil name	Pond reservoir areas		Embankments, dikes, and levees		Aquifer-fed excavated ponds	
	Rating class and limiting features	Value	Rating class and limiting features	Value	Rating class and limiting features	Value
6: Okoboji-----	Somewhat limited Seepage	0.70	Very limited Depth to saturated zone Hard to pack	1.00 0.73	Somewhat limited Slow refill Cutbanks cave	0.30 0.10
27: Terril-----	Somewhat limited Seepage	0.70	Somewhat limited Piping	0.46	Very limited Deep to water	1.00
27B: Terril-----	Somewhat limited Seepage	0.70	Somewhat limited Piping	0.46	Very limited Deep to water	1.00
27C: Terril-----	Somewhat limited Seepage	0.70	Somewhat limited Piping	0.46	Very limited Deep to water	1.00
28: Dickman-----	Very limited Seepage	1.00	Very limited Seepage	1.00	Very limited Deep to water	1.00
28B: Dickman-----	Very limited Seepage	1.00	Very limited Seepage	1.00	Very limited Deep to water	1.00
34: Estherville-----	Very limited Seepage	1.00	Somewhat limited Seepage	0.19	Very limited Deep to water	1.00
34C2: Estherville-----	Very limited Seepage	1.00	Somewhat limited Seepage	0.19	Very limited Deep to water	1.00
55: Nicollet-----	Somewhat limited Seepage	0.70	Somewhat limited Depth to saturated zone Piping	0.02 0.01	Somewhat limited Deep to water Slow refill Cutbanks cave	0.68 0.30 0.10
62C2: Storden-----	Somewhat limited Seepage	0.70	Very limited Piping	1.00	Very limited Deep to water	1.00
62D2: Storden-----	Somewhat limited Seepage Slope	0.70 0.01	Very limited Piping	1.00	Very limited Deep to water	1.00

FIELD OFFICE TECHNICAL GUIDE Sec. II  
ENGINEERING INTERPRETATIONS

Water Management

Emmet County, Iowa

Map symbol and soil name	Pond reservoir areas		Embankments, dikes, and levees		Aquifer-fed excavated ponds	
	Rating class and limiting features	Value	Rating class and limiting features	Value	Rating class and limiting features	Value
62D3: Storden-----	Somewhat limited		Very limited		Very limited	
	Seepage	0.70	Piping	1.00	Deep to water	1.00
	Slope	0.01				
62E: Storden-----	Somewhat limited		Very limited		Very limited	
	Seepage	0.70	Piping	1.00	Deep to water	1.00
	Slope	0.04				
62E2: Storden-----	Somewhat limited		Very limited		Very limited	
	Seepage	0.70	Piping	1.00	Deep to water	1.00
	Slope	0.04				
62F: Storden-----	Somewhat limited		Very limited		Very limited	
	Seepage	0.70	Piping	1.00	Deep to water	1.00
	Slope	0.18				
62G: Storden-----	Somewhat limited		Very limited		Very limited	
	Seepage	0.70	Piping	1.00	Deep to water	1.00
	Slope	0.64				
72: Estherville-----	Very limited		Somewhat limited		Very limited	
	Seepage	1.00	Seepage	0.19	Deep to water	1.00
72B: Estherville-----	Very limited		Somewhat limited		Very limited	
	Seepage	1.00	Seepage	0.19	Deep to water	1.00
73B: Salida-----	Very limited		Somewhat limited		Very limited	
	Seepage	1.00	Seepage	0.95	Deep to water	1.00
73C2: Salida-----	Very limited		Somewhat limited		Very limited	
	Seepage	1.00	Seepage	0.95	Deep to water	1.00
73D2: Salida-----	Very limited		Somewhat limited		Very limited	
	Seepage	1.00	Seepage	0.95	Deep to water	1.00
	Slope	0.01				

FIELD OFFICE TECHNICAL GUIDE Sec. II  
ENGINEERING INTERPRETATIONS

Water Management

Emmet County, Iowa

Map symbol and soil name	Pond reservoir areas		Embankments, dikes, and levees		Aquifer-fed excavated ponds	
	Rating class and limiting features	Value	Rating class and limiting features	Value	Rating class and limiting features	Value
73G: Salida-----	Very limited Seepage Slope	1.00 0.45	Somewhat limited Seepage	0.95	Very limited Deep to water	1.00
90: Okoboji-----	Somewhat limited Seepage	0.05	Very limited Depth to saturated zone Hard to pack	1.00 0.72	Somewhat limited Slow refill Cutbanks cave	0.30 0.10
95: Harps-----	Somewhat limited Seepage	0.70	Very limited Depth to saturated zone	1.00	Somewhat limited Slow refill Cutbanks cave	0.30 0.10
107: Webster-----	Somewhat limited Seepage	0.70	Very limited Depth to saturated zone Piping	1.00 0.01	Somewhat limited Slow refill Cutbanks cave	0.30 0.10
108: Wadena-----	Very limited Seepage	1.00	Somewhat limited Seepage	1.00	Very limited Deep to water	1.00
133: Colo-----	Somewhat limited Seepage	0.70	Very limited Depth to saturated zone	1.00	Somewhat limited Slow refill Cutbanks cave	0.30 0.10
135: Coland-----	Very limited Seepage	1.00	Very limited Depth to saturated zone Piping Seepage	1.00 0.31 0.06	Somewhat limited Cutbanks cave	0.10
138B: Clarion-----	Somewhat limited Seepage	0.70	Very limited Piping	1.00	Very limited Deep to water	1.00
138C: Clarion-----	Somewhat limited Seepage	0.70	Very limited Piping	1.00	Very limited Deep to water	1.00

FIELD OFFICE TECHNICAL GUIDE Sec. II  
ENGINEERING INTERPRETATIONS

Water Management

Emmet County, Iowa

Map symbol and soil name	Pond reservoir areas		Embankments, dikes, and levees		Aquifer-fed excavated ponds	
	Rating class and limiting features	Value	Rating class and limiting features	Value	Rating class and limiting features	Value
138C2: Clarion-----	Somewhat limited Seepage	0.70	Very limited Piping	1.00	Very limited Deep to water	1.00
138D: Clarion-----	Somewhat limited Seepage Slope	0.70 0.01	Very limited Piping	1.00	Very limited Deep to water	1.00
138D2: Clarion-----	Somewhat limited Seepage Slope	0.70 0.01	Very limited Piping	1.00	Very limited Deep to water	1.00
221: Palms-----	Very limited Seepage	1.00	Very limited Depth to saturated zone	1.00	Somewhat limited Cutbanks cave	0.10
224: Linder-----	Very limited Seepage	1.00	Somewhat limited Seepage Depth to saturated zone	1.00 0.43	Very limited Cutbanks cave Deep to water	1.00 0.25
236B: Lester-----	Somewhat limited Seepage	0.70	Somewhat limited Piping	0.06	Very limited Deep to water	1.00
236C: Lester-----	Somewhat limited Seepage	0.70	Somewhat limited Piping	0.06	Very limited Deep to water	1.00
236D: Lester-----	Somewhat limited Seepage Slope	0.70 0.01	Somewhat limited Piping	0.06	Very limited Deep to water	1.00
236F: Lester-----	Somewhat limited Seepage Slope	0.70 0.18	Somewhat limited Piping	0.06	Very limited Deep to water	1.00
236G: Lester-----	Somewhat limited Seepage Slope	0.70 0.64	Somewhat limited Piping	0.06	Very limited Deep to water	1.00

FIELD OFFICE TECHNICAL GUIDE Sec. II  
ENGINEERING INTERPRETATIONS

Water Management

Emmet County, Iowa

Map symbol and soil name	Pond reservoir areas		Embankments, dikes, and levees		Aquifer-fed excavated ponds	
	Rating class and limiting features	Value	Rating class and limiting features	Value	Rating class and limiting features	Value
259: Biscay-----	Very limited Seepage	1.00	Very limited Depth to saturated zone Seepage	1.00 0.91	Very limited Cutbanks cave	1.00
354: Histosols-----	Very limited Seepage	1.00	Very limited Content of organic matter Depth to saturated zone	1.00 1.00	Somewhat limited Cutbanks cave	0.10
384: Collinwood-----	Somewhat limited Seepage	0.05	Somewhat limited Depth to saturated zone Hard to pack	0.09 0.06	Somewhat limited Slow refill Deep to water Cutbanks cave	0.99 0.54 0.10
390: Waldorf-----	Somewhat limited Seepage	0.57	Very limited Depth to saturated zone Hard to pack	1.00 0.14	Somewhat limited Slow refill Cutbanks cave	0.43 0.10
485: Spillville-----	Very limited Seepage	1.00	Somewhat limited Piping	0.85	Somewhat limited Deep to water Cutbanks cave	0.81 0.10
485B: Spillville-----	Very limited Seepage	1.00	Somewhat limited Piping	0.85	Somewhat limited Deep to water Cutbanks cave	0.81 0.10
507: Canisteo-----	Somewhat limited Seepage	0.70	Very limited Depth to saturated zone	1.00	Somewhat limited Slow refill Cutbanks cave	0.30 0.10
508: Calcousta-----	Somewhat limited Seepage	0.70	Very limited Depth to saturated zone	1.00	Somewhat limited Slow refill Cutbanks cave	0.30 0.10

FIELD OFFICE TECHNICAL GUIDE Sec. II  
ENGINEERING INTERPRETATIONS

Water Management

Emmet County, Iowa

Map symbol and soil name	Pond reservoir areas		Embankments, dikes, and levees		Aquifer-fed excavated ponds	
	Rating class and limiting features	Value	Rating class and limiting features	Value	Rating class and limiting features	Value
511: Blue Earth-----	Somewhat limited Seepage	0.70	Very limited Depth to saturated zone Piping	1.00 1.00	Somewhat limited Slow refill Cutbanks cave	0.30 0.10
511B: Blue Earth-----	Somewhat limited Seepage	0.05	Very limited Depth to saturated zone Piping	1.00 1.00	Somewhat limited Slow refill Cutbanks cave	0.95 0.50
524: Linder-----	Very limited Seepage	1.00	Somewhat limited Depth to saturated zone Seepage	0.43 0.20	Very limited Cutbanks cave Deep to water	1.00 0.25
559: Talcot-----	Very limited Seepage	1.00	Very limited Depth to saturated zone Seepage	1.00 0.24	Very limited Cutbanks cave	1.00
585B: Coland-----	Very limited Seepage	1.00	Very limited Depth to saturated zone Piping Seepage	1.00 0.31 0.06	Somewhat limited Cutbanks cave	0.10
Spillville-----	Very limited Seepage	1.00	Somewhat limited Piping	0.85	Somewhat limited Deep to water Cutbanks cave	0.81 0.10
638B: Clarion-----	Somewhat limited Seepage	0.70	Very limited Piping	1.00	Very limited Deep to water	1.00
Storden-----	Somewhat limited Seepage	0.70	Very limited Piping	1.00	Very limited Deep to water	1.00
638C2: Clarion-----	Somewhat limited Seepage	0.70	Very limited Piping	1.00	Very limited Deep to water	1.00
Storden-----	Somewhat limited Seepage	0.70	Very limited Piping	1.00	Very limited Deep to water	1.00

FIELD OFFICE TECHNICAL GUIDE Sec. II  
ENGINEERING INTERPRETATIONS

Water Management

Emmet County, Iowa

Map symbol and soil name	Pond reservoir areas		Embankments, dikes, and levees		Aquifer-fed excavated ponds	
	Rating class and limiting features	Value	Rating class and limiting features	Value	Rating class and limiting features	Value
638D2: Clarion-----	Somewhat limited Seepage Slope	0.70 0.01	Very limited Piping	1.00	Very limited Deep to water	1.00
Storden-----	Somewhat limited Seepage Slope	0.70 0.01	Very limited Piping	1.00	Very limited Deep to water	1.00
638E2: Clarion-----	Somewhat limited Seepage Slope	0.70 0.04	Very limited Piping	1.00	Very limited Deep to water	1.00
Storden-----	Somewhat limited Seepage Slope	0.70 0.04	Very limited Piping	1.00	Very limited Deep to water	1.00
639D2: Storden-----	Somewhat limited Seepage	0.70	Very limited Piping	1.00	Very limited Deep to water	1.00
Salida-----	Very limited Seepage	1.00	Somewhat limited Seepage	0.95	Very limited Deep to water	1.00
655: Crippin-----	Somewhat limited Seepage	0.70	Somewhat limited Piping Depth to saturated zone	0.50 0.43	Somewhat limited Slow refill Deep to water Cutbanks cave	0.30 0.25 0.10
707: Delft-----	Somewhat limited Seepage	0.70	Very limited Depth to saturated zone Piping	1.00 0.81	Somewhat limited Slow refill Cutbanks cave	0.30 0.10
733: Calco-----	Somewhat limited Seepage	0.70	Very limited Depth to saturated zone	1.00	Somewhat limited Slow refill Cutbanks cave	0.30 0.10
787B: Vinje-----	Somewhat limited Seepage	0.70	Somewhat limited Piping	0.04	Very limited Deep to water	1.00

FIELD OFFICE TECHNICAL GUIDE Sec. II  
ENGINEERING INTERPRETATIONS

Water Management

Emmet County, Iowa

Map symbol and soil name	Pond reservoir areas		Embankments, dikes, and levees		Aquifer-fed excavated ponds	
	Rating class and limiting features	Value	Rating class and limiting features	Value	Rating class and limiting features	Value
811: Muskego-----	Very limited Seepage	1.00	Very limited Depth to saturated zone Piping	1.00 1.00	Somewhat limited Cutbanks cave	0.10
823: Ridgeport-----	Very limited Seepage	1.00	Somewhat limited Seepage	1.00	Very limited Deep to water	1.00
828B: Zenor-----	Very limited Seepage	1.00	Somewhat limited Seepage	0.20	Very limited Deep to water	1.00
828C2: Zenor-----	Very limited Seepage	1.00	Somewhat limited Seepage	0.20	Very limited Deep to water	1.00
879: Fostoria-----	Somewhat limited Seepage	0.70	Somewhat limited Piping Depth to saturated zone	0.65 0.43	Somewhat limited Slow refill Deep to water Cutbanks cave	0.30 0.25 0.10
956: Okoboji-----	Somewhat limited Seepage	0.70	Very limited Depth to saturated zone Hard to pack	1.00 0.73	Somewhat limited Slow refill Cutbanks cave	0.30 0.10
Harps-----	Somewhat limited Seepage	0.70	Very limited Depth to saturated zone	1.00	Somewhat limited Slow refill Cutbanks cave	0.30 0.10
1133: Colo-----	Somewhat limited Seepage	0.70	Very limited Depth to saturated zone	1.00	Somewhat limited Slow refill Cutbanks cave	0.30 0.10
1458: Millington-----	Somewhat limited Seepage	0.70	Very limited Depth to saturated zone Piping Seepage	1.00 0.81 0.06	Somewhat limited Slow refill Cutbanks cave	0.30 0.10



FIELD OFFICE TECHNICAL GUIDE Sec. II  
ENGINEERING INTERPRETATIONS

Water Management

Emmet County, Iowa

Map symbol and soil name	Pond reservoir areas		Embankments, dikes, and levees		Aquifer-fed excavated ponds	
	Rating class and limiting features	Value	Rating class and limiting features	Value	Rating class and limiting features	Value
1585: Coland-----	Very limited Seepage	1.00	Very limited Depth to saturated zone Piping Seepage	1.00 0.14 0.06	Somewhat limited Cutbanks cave	0.10
Spillville-----	Very limited Seepage	1.00	Somewhat limited Piping	0.85	Somewhat limited Deep to water Cutbanks cave	0.81 0.10
1707B: Delft-----	Somewhat limited Seepage	0.70	Very limited Depth to saturated zone Piping	1.00 0.81	Somewhat limited Slow refill Cutbanks cave	0.30 0.10
Terril-----	Somewhat limited Seepage	0.70	Somewhat limited Piping	0.58	Very limited Deep to water	1.00
5010: Pits-----	Not rated		Not rated		Not rated	
5040: Orthents-----	Not rated		Not rated		Not rated	
5043: Orthents-----	Not rated		Not rated		Not rated	
W: Water-----	Not rated		Not rated		Not rated	